



Crop farming and Grasslands Maintenance

The questionnaire is prefilled by 3 November with ARIB data on sowing area. For those whose data are entered in the electronic field book in e-ARIB, the blank questionnaire is confirmed and the data are taken directly from the e-field book. Any questions that arise may be clarified later if necessary.

Questionnaire code: 13062026

Submitted in: 17.11.2026

Period:

Periodicity: Annual

page 1/12

Statistics Estonia guarantees the full protection of data submitted.

Economic unit
Registry code:
Name:

E-mail:
Phone:

Farm / Agricultural holding
Name of farm / agricultural holding:

Postal address
County:
City / Rural municipality:
Village / Town / City district:
Secondary address unit:

Street:
Building:
Apartment:
Postal code:

Economic activity in the sample

Completed by
Personal ID code:
Firstname and surname:

E-mail:
Phone:

Completed on (date):

Signature:

0. Information for the respondent

The questionnaire is prefilled by 3 November with ARIB data on sowing area.	
For those whose data are entered in the electronic field book in e-ARIB, the blank questionnaire is confirmed and the data are taken directly from the e-field book.	
Any questions that arise may be clarified later if necessary.	
If you have saved a questionnaire that is not prefilled but still wish to use prefiling, you must first cancel the questionnaire by clicking "Cancel questionnaire".	
The easiest way to fill in the questionnaire is table by table, saving, checking and correcting errors in the tables.	
The availability of prefiling in a table is indicated by the darker background colour of the letters (B; C; D etc.) on the menu bar with letters.	
When reporting production, the estimated weight of the total production is sufficient. Data can be reported to 2 decimal places.	
When you have filled in a table and want to check this table, click "Save" and then select "Validate table". This way, it is easier to correct errors in the specific table.	
If you click "Check", the entire questionnaire is checked and the errors in all tables are displayed simultaneously. Use this button when you have filled in all the tables.	
After correcting the error, click the "Save" button.	
The error message "Warning" indicates possible errors. Please make sure that you have entered the correct data, then click "Accept warnings" and confirm the questionnaire.	
In the absence of values, you do not have to enter 0 (zero) in the fields.	
In case of any questions, please call +372 6259 300 or send an email at mailto:klienditugi@stat.ee	

1. CEREALS AND LEGUMES, POTATOES, INDUSTRIAL CROPS. Click on the table name to access additional information about the table.

Crop farming and Grasslands Maintenance

Questionnaire code: 13062026

Submitted in: 17.11.2026

Period:

page 2/12

The clarifying explanation for production (column 4) is only filled in, if the respective crop has been grown but the total production (column 3) is 0 or if the yield is higher or lower than normally.

		Sowing area, ha	Harvested area, ha	Total production in net weight, t	Clarifying explanation for the production	Yield, t/ha
		1	2	3	4	5
Winter wheat	1				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Winter rye	2				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Winter barley	3				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Triticale	4				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Spring wheat	5				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Spring barley	6				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Oats	7				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Mixture of cereals	8				1 - Cannot determine even the approximate value of production 2 - No production (crop	

Crop farming and Grasslands Maintenance

Questionnaire code: 13062026

Submitted in: 17.11.2026

Period:

					failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Buckwheat	9				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Field pea	10				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Field bean	11				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Other legumes	12				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Potato	13				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Winter rape and winter turnip rape	14				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Spring rape and spring turnip rape	15				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Oil flax	16		x		1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop	

Crop farming and Grasslands Maintenance

Questionnaire code: 13062026

Submitted in: 17.11.2026

Period:

page 4/12

					failure, partial destruction, organic crop) 4 - The yield is that high	
Seed hemp	17		x		1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Medicinal and culinary plants	18		x	x	x	x
Other technical crops	19		x	x	x	x

2. OPEN-FIELD VEGETABLES AND STRAWBERRIES. Click on the table name to access additional information about the table.

The clarifying explanation for production (column 3) is only filled in, if the respective crop has been grown but the total production (column 2) is 0 or if the yield is higher or lower than normally.

		Sowing area, ha	Total production, t	Clarifying explanation for the production	Yield, t/ha
		1	2	3	4
Cabbage	1			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..cauliflower	2			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Cucumber	3			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Tomato	4			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Reed beet	5			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Carrot	6			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Onion	7			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Garlic	8			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop)	

Crop farming and Grasslands Maintenance

Questionnaire code: 13062026

Submitted in: 17.11.2026

Period:

page 5/12

Pea	9			4 - The yield is that high 1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Swede	10			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Other vegetables	11			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Total open-field vegetables	12		sum of rows 1, 3...11 of column 2	x	x
Strawberries	13			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	

3. FORAGE CROPS. Click on the table name to access additional information about the table.

The clarifying explanation for production (column 4) is only filled in, if the respective crop has been grown but the total production (column 3) is 0 or if the yield is higher or lower than normally.

		Sowing area, ha	Harvested area, ha	Total production, t	Clarifying explanation for the production	Yield, t/ha
		1	2	3	4	5
Fodder roots	1		x		1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Grain maize	2		x		1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Grain for green fodder and silage	3		x		1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Legumes for green fodder and silage	3_1		x		1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Other annual forage crops	4		x		1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop)	

Crop farming and Grasslands Maintenance

Questionnaire code: 13062026

Submitted in: 17.11.2026

Period:

page 6/12

					4 - The yield is that high	
Leguminous forage crops (at least 80%), excl. under cover crops	5		x	x	x	x
Other temporary grass, excl. under cover crops	6		x	x	x	x
Total leguminous and herbaceous forage crops, excl. under cover crops	7		x	x	x	x
Also, the leguminous and herbaceous forage crops under cover crops	8		x	x	x	x
Total leguminous forage crops and other temporary grasses	9		x	x	x	x
..for hay	10	x			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..for green fodder and silage	11	x			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..for grazing	12	x		x	x	x
.. for seed	13	x		x	x	x
..for cutting up	14	x		x	x	x
Cereals and legumes, seed hay straw	15	x	x		x	x

4. PERMANENT GRASSLAND. Click on the table name to access additional information about the table.

The clarifying explanation for production (column 4) is only filled in, if the respective crop has been grown but the total production (column 3) is 0 or if the yield is higher or lower than normally.

		Sowing area, ha	Harvested area, ha	Total production, t	Clarifying explanation for the production	Yield, t/ha
		1	2	3	4	5
Permanent grassland	1		x	x	x	x
..for hay	2	x			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..for green fodder and silage	3	x			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..for grazing	4	x		x	x	x
..for seed	5	x		x	x	x
..permanent grassland not used in production or other permanent grassland without production (for chopping)	6	x		x	x	x

4.1

	Total area	of which managed	managed, of which
--	------------	------------------	-------------------

Crop farming and Grasslands Maintenance

Questionnaire code: 13062026

Submitted in: 17.11.2026

Period:

page 7/12

			fertilised
	1	2	3
Permanent grassland until 10 years			
Permanent grassland 11 to 19 years			
Permanent grassland 20 years and more			
Total			

5. CROPS UNDER GLASS OR HIGH ACCESSIBLE COVER. Click on the table name to access additional information about the table.

The clarifying explanation for production (column 4) is only filled in, if the respective crop has been grown but the total production (column 3) is 0 or if the yield is higher or lower than normally. The area in hectares indicated by the respondent on rows 1 and 5 in column 1 will be calculated into square metres and indicated in column 2 after saving the data.

		Area under glass or high accessible cover, ha	Crop sowing area, m2	Total production, t	Clarifying explanation for the production	Yield, t/ha
		1	2	3	4	5
Vegetables under glass or high accessible cover	1			x	x	x
..cucumber under glass or high accessible cover	2				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..tomato under glass or high accessible cover	3				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..other vegetables under glass or high accessible cover	4				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Flowers and ornamental plants under glass or high accessible cover	5			x	x	x

6. PERMANENT CROPS. Click on the table name to access additional information about the table.

The clarifying explanation for production (column 4) is only filled in, if the respective crop has been grown but the total production (column 3) is 0 or if the yield is higher or lower than normally.

		Sowing area, ha	Production area, ha	Total production, t	Clarifying explanation for the production	Yield, t/ha
		1	2	3	4	5
Apple trees, pear trees	1				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Plum trees	2				1 - Cannot determine even the approximate value of production	

Crop farming and Grasslands Maintenance

Questionnaire code: 13062026

Submitted in: 17.11.2026

Period:

page 8/12

					2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Cherry trees	3				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Red and white currant	4				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Black currant	5				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Gooseberry	6				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Raspberry	7				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Other fruits and berries	8				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Total fruit and berry farming	9				x	x
Wine grapes	10				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Table grapes	11				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Raisin grapes	12				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Other permanent crops	13					

Crop farming and Grasslands Maintenance

Questionnaire code: 13062026

Submitted in: 17.11.2026

Period:

page 9/12

7. LAND USE. Click on the table name to access additional information about the table.

		Total area, ha	Utilised agricultural area according to ARIB
		1	2
Tree nurseries	2		
Kitchen garden (fruit and vegetable garden) for own use (up to 1 ha)	3		
Flowers and ornamental plants in the open field or under low cover	4		
Green fallow	5		
Bare fallow and abandoned areas	6		
Utilised agricultural area	1		

8. AREA OF WINTER CROPS SOWN FOR OBTAINING PRODUCTION IN THE NEXT YEAR

		Area of w area of winter crops sown for obtaining production in the next year, ha
		1
Winter wheat	1	
Winter rye	2	
Winter barley	3	
Triticale	4	
Winter rape and winter turnip rape	5	

8.1. QUANTITY OF SEEDS USED IN THE CROP YEAR. Quantity of seeds of winter crops sown in the previous autumn and summer crops sown in this year's spring.

		Sowing area, ha	Total quantity of used seeds, t	incl. the quantity of used certified seeds, t	Amount of seed sown, kg/ha
		0	1	2	4
Wheat	1				
Rye	2				
Triticale	3				
Barley	4				
Oats	5				
Potato	6				

9. USE OF FERTILISERS IN AGRICULTURAL HOLDINGS. Click on the table name to access additional information about the table.

		Answer	Reason for not using fertilisers
		1	2
Were mineral fertilisers used in the agricultural holding?	1	1 - Yes 2 - No	
Were organic fertilisers used in the agricultural holding?	2	1 - Yes 2 - No	
Was liming used in the agricultural holding?	3	1 - Yes 2 - No	x

9.1. USE OF MINERAL FERTILISERS IN AGRICULTURAL HOLDINGS. Click on the table name to access additional information about the table.

		Area of land utilisation group, ha	Area fertilised with mineral fertilisers, ha	Area fertilised with organic fertilisers, ha
		1	2	3
The entered data are summed after the table is saved	01 X			
Arable land, incl. area under glass or high accessible cover and fallow	1			
..cereals (data from Table 1)	a	Total cereals		
..legumes (data from Table 1)	b	Total legumes		

Crop farming and Grasslands Maintenance

Questionnaire code: 13062026

Submitted in: 17.11.2026

Period:

page 10/12

..Potatoes (data from Table 1)	c	Total potatoes		
..industrial crops (rape, turnip rape, etc. data from Table 1)	d	Total industrial crops		
..forage crops on arable land (data from Table 3)	e			
..other arable land (data from Tables 2, 5, 7)	f	Total other arable land		
Permanent grassland (data from Table 4)	2			
Fruit tree and berry garden, grapes, tree nurseries and kitchen garden (data from Tables 6 and 7)	3			

9.2. LIMING. Click on the table name to access additional information about the table.

If the same lime fertiliser has been used several times, the area is still indicated only once.

Record no	Fertilised area, ha	Total quantity of fertiliser, t	Name of lime fertiliser	Comment
	1	2	3	4
1			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
2			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
3			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
4			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
5			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
6			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
7			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
8			11 - Limestone fines 12 - Ash 13 - Pulverised oil	

Crop farming and Grasslands Maintenance

Questionnaire code: 13062026

Submitted in: 17.11.2026

Period:

			shale ash 14 - Dolostone fines 99 - Other soil amendment	
9			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
10			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
11			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
12			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
13			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
14			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
15			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	

TIME SPENT ON FILLING OUT THE QUESTIONNAIRE (incl. preparing the data)

Please estimate how much time you spent on filling out the questionnaire (incl. time spent on reading the instructions, collecting and preparing data). Record the total time spent by all employees.

	Hours	Minutes
Time spent		
Please indicate the hours and minutes separately. For example, if it took 1.5 hours (i.e. 90 minutes) to complete the questionnaire, you should enter 1 in the hours field and 30 in the minutes field.		

Y2. Overall assessment on the questionnaire

	Answer
Please give an overall assessment on completing the questionnaire.	10 - Very easy 20 - Easy

Crop farming and Grasslands Maintenance

Questionnaire code: 13062026

Submitted in: 17.11.2026

Period:

page 12/12

30 - Average (neither easy nor difficult) 40 - Difficult 50 - Very difficult
--

Y3. Suggestions and comments (200 characters max)

COMMENT
