



## Crop farming and Grasslands Maintenance

The questionnaire is prefilled with ARIB data on sowing area received by the beginning of October. If the entity uses the electronic field book in e-ARIB, the data on harvested areas and total production are also prefilled based on those records.

Questionnaire code: 13062024

Submitted in: 01.11.2024

Period:

Periodicity: Annual

page 1/12

Statistics Estonia guarantees the full protection of data submitted.

Economic unit

**Registry code:**  
**Name:**

**E-mail:**  
**Phone:**

Farm / Agricultural holding

**Name of farm / agricultural holding:**

Postal address

**County:**  
**City / Rural municipality:**  
**Village / Town / City district:**  
**Secondary address unit:**

**Street:**  
**Building:**  
**Apartment:**  
**Postal code:**

Economic activity in the sample

Completed by

**Personal ID code:**  
**Firstname and surname:**

**E-mail:**  
**Phone:**

**Completed on (date):**

**Signature:**

### 0. Information for the respondent

The questionnaire is prefilled with ARIB data on sowing area received by the beginning of October.	
If the entity uses the electronic field book in e-ARIB, the data on harvested areas and total production are also prefilled based on those records. Please correct the prefilled fields where necessary.	
The easiest way to fill in the questionnaire is table by table, saving, checking and correcting errors in the tables.	
The availability of prefilling in a table is indicated by the darker background colour of the letters (B; C; D etc.) on the menu bar with letters.	
If you have saved a questionnaire that is not prefilled but still wish to use prefilling, you must first cancel the questionnaire by clicking "Cancel questionnaire".	
When reporting production, the estimated weight of the total production is sufficient. Data can be reported to 2 decimal places.	
When you have filled in a table and want to check this table, click "Save" and then select "Validate table". This way, it is easier to correct errors in the specific table.	
If you click "Check", the entire questionnaire is checked and the errors in all tables are displayed simultaneously. Use this button when you have filled in all the tables.	
The error message "Warning" indicates possible errors. Please make sure that you have entered the correct data, then click "Accept warnings" and confirm the questionnaire.	
In the absence of values, you do not have to enter 0 (zero) in the fields.	
In case of any questions, please call +372 6259 300 or send an email at <a href="mailto:klienditugi@stat.ee">mailto:klienditugi@stat.ee</a>	

### 1. CEREALS AND LEGUMES, POTATOES, INDUSTRIAL CROPS. Click on the table name to access additional information about the table.

The clarifying explanation for production (column 4) is only filled in, if the respective crop has been grown but the total production (column 3) is 0 or if the yield is higher or lower than normally.

## Crop farming and Grasslands Maintenance

Questionnaire code: 13062024

Submitted in: 01.11.2024

Period:

page 2/12

		Sowing area, ha	Harvested area, ha	Total production in net weight, t	Clarifying explanation for the production	Yield, t/ha
	1	2	3	4	5	
Winter wheat	1				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Winter rye	2				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Winter barley	3				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Triticale	4				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Spring wheat	5				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Spring barley	6				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Oats	7				1 - Cannot determine even the approximate value of production 2 - No production (crop	

## Crop farming and Grasslands Maintenance

Questionnaire code: 13062024

Submitted in: 01.11.2024

Period:

					failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Mixture of cereals	8				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Buckwheat	9				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Field pea	10				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Field bean	11				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Other legumes	12				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Potato	13				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Winter rape and winter turnip rape	14				1 - Cannot determine even the approximate value of production	

## Crop farming and Grasslands Maintenance

Questionnaire code: 13062024

Submitted in: 01.11.2024

Period:

page 4/12

					2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Spring rape and spring turnip rape	15				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high 5 - Harvesting has not started yet	
Oil flax	16		x		1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Seed hemp	17		x		1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Medicinal and culinary plants	18		x	x	x	x
Other technical crops	19		x	x	x	x

## 2. OPEN-FIELD VEGETABLES AND STRAWBERRIES. Click on the table name to access additional information about the table.

The clarifying explanation for production (column 3) is only filled in, if the respective crop has been grown but the total production (column 2) is 0 or if the yield is higher or lower than normally.

		Sowing area, ha	Total production, t	Clarifying explanation for the production	Yield, t/ha
		1	2	3	4
Cabbage	1			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..cauliflower	2			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Cucumber	3			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Tomato	4			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction,	

### Crop farming and Grasslands Maintenance

Questionnaire code: 13062024

Submitted in: 01.11.2024

Period:

				organic crop) 4 - The yield is that high	
Reed beet	5			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Carrot	6			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Onion	7			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Garlic	8			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Pea	9			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Swede	10			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Other vegetables	11			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Total open-field vegetables	12		sum of rows 1, 3...11 of column 2	x	x
Strawberries	13			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	

### 3. FORAGE CROPS. Click on the table name to access additional information about the table.

The clarifying explanation for production (column 4) is only filled in, if the respective crop has been grown but the total production (column 3) is 0 or if the yield is higher or lower than normally.

		Sowing area, ha	Harvested area, ha	Total production, t	Clarifying explanation for the production	Yield, t/ha
		1	2	3	4	5
Fodder roots	1		x		1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Grain maize	2		x		1 - Cannot determine even the approximate value of production	

## Crop farming and Grasslands Maintenance

Questionnaire code: 13062024

Submitted in: 01.11.2024

Period:

page 6/12

						2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Cereals and legumes for green fodder and silage	3		x			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Other annual forage crops	4		x			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Leguminous forage crops (at least 80%), excl. under cover crops	5		x	x	x		x
Other temporary grass, excl. under cover crops	6		x	x	x		x
Total leguminous and herbaceous forage crops, excl. under cover crops	7		x	x	x		x
Also, the leguminous and herbaceous forage crops under cover crops	8		x	x	x		x
Total leguminous forage crops and other temporary grasses	9		x	x	x		x
..for hay	10	x				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..for green fodder and silage	11	x				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..for grazing	12	x		x	x		x
.. for seed	13	x		x	x		x
..for cutting up	14	x		x	x		x
Cereals and legumes, seed hay straw	15	x	x		x		x

#### 4. PERMANENT GRASSLAND. Click on the table name to access additional information about the table.

The clarifying explanation for production (column 4) is only filled in, if the respective crop has been grown but the total production (column 3) is 0 or if the yield is higher or lower than normally.

		Sowing area, ha	Harvested area, ha	Total production, t	Clarifying explanation for the production	Yield, t/ha
	1	2	3	4	5	
Permanent grassland	1		x	x	x	x
..for hay	2	x			1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..for green fodder and silage	3	x			1 - Cannot determine even the approximate value of production 2 - No production (crop failure,	

## Crop farming and Grasslands Maintenance

Questionnaire code: 13062024

Submitted in: 01.11.2024

Period:

page 7/12

					destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..for grazing	4	x		x	x	x
..for seed	5	x		x	x	x
..permanent grassland not used in production or other permanent grassland without production (for chopping)	6	x		x	x	x

### 5. CROPS UNDER GLASS OR HIGH ACCESSIBLE COVER. Click on the table name to access additional information about the table.

The clarifying explanation for production (column 4) is only filled in, if the respective crop has been grown but the total production (column 3) is 0 or if the yield is higher or lower than normally. The area in hectares indicated by the respondent on rows 1 and 5 in column 1 will be calculated into square metres and indicated in column 2 after saving the data.

		Area under glass or high accessible cover, ha	Crop sowing area, m2	Total production, t	Clarifying explanation for the production	Yield, t/ha
		1	2	3	4	5
Vegetables under glass or high accessible cover	1			x	x	x
..cucumber under glass or high accessible cover	2				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..tomato under glass or high accessible cover	3				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
..other vegetables under glass or high accessible cover	4				1 - Cannot determine even the approximate value of production 2 - No production (crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Flowers and ornamental plants under glass or high accessible cover	5			x	x	x

### 6. PERMANANENT CROPS. Click on the table name to access additional information about the table.

The clarifying explanation for production (column 4) is only filled in, if the respective crop has been grown but the total production (column 3) is 0 or if the yield is higher or lower than normally.

		Sowing area, ha	Production area, ha	Total production, t	Clarifying explanation for the production	Yield, t/ha
		1	2	3	4	5
Apple trees, pear trees	1				1 - Cannot determine even the approximate value of production 2 - No production (new plantation,	

## Crop farming and Grasslands Maintenance

Questionnaire code: 13062024

Submitted in: 01.11.2024

Period:

page 8/12

					crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Plum trees	2				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Cherry trees	3				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Red and white currant	4				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Black currant	5				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Gooseberry	6				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Raspberry	7				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Other fruits and berries	8				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Total fruit and berry farming	9				x	x
Wine grapes	10				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Table grapes	11				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure, partial destruction, organic crop) 4 - The yield is that high	
Raisin grapes	12				1 - Cannot determine even the approximate value of production 2 - No production (new plantation, crop failure, destroyed) 3 - The yield is low (crop failure,	



## Crop farming and Grasslands Maintenance

Questionnaire code: 13062024

Submitted in: 01.11.2024

Period:

page 9/12

					partial destruction, organic crop) 4 - The yield is that high	
Other permanent crops	13					

### 7. LAND USE. Click on the table name to access additional information about the table.

		Total area, ha	Utilised agricultural area according to ARIB
		1	2
Tree nurseries	2		
Kitchen garden (fruit and vegetable garden) for own use (up to 1 ha)	3		
Flowers and ornamental plants in the open field or under low cover	4		
Green fallow	5		
Bare fallow and abandoned areas	6		
Utilised agricultural area	1		

### 8. AREA OF WINTER CROPS SOWN FOR OBTAINING PRODUCTION IN THE NEXT YEAR

		Area of w area of winter crops sown for obtaining production in the next year, ha
		1
Winter wheat	1	
Winter rye	2	
Winter barley	3	
Triticale	4	
Winter rape and winter turnip rape	5	

### 9. USE OF FERTILISERS IN AGRICULTURAL HOLDINGS. Click on the table name to access additional information about the table.

		Answer	Reason for not using fertilisers
		1	2
Were mineral fertilisers used in the agricultural holding?	1	1 - Yes 2 - No	
Were organic fertilisers used in the agricultural holding?	2	1 - Yes 2 - No	
Was liming used in the agricultural holding?	3	1 - Yes 2 - No	x

### 9.1. USE OF MINERAL FERTILISERS IN AGRICULTURAL HOLDINGS. Click on the table name to access additional information about the table.

		Area of land utilisation group, ha	Area fertilised with mineral fertilisers, ha	Area fertilised with organic fertilisers, ha
		1	2	3
The entered data are summed after the table is saved	01 X			
Arable land, incl. area under glass or high accessible cover and fallow	1			
..cereals (data from Table 1)	a	Total cereals		
..legumes (data from Table 1)	b	Total legumes		
..Potatoes (data from Table 1)	c	Total potatoes		
..industrial crops (rape, turnip rape, etc. data from Table 1)	d	Total industrial crops		
..forage crops on arable land (data from Table 3)	e	Total arable land under forage crops		
..other arable land (data from Tables 2, 5, 7)	f	Total other arable land		
Permanent grassland (data from Table 4)	2			
Fruit tree and berry garden, grapes, tree nurseries and kitchen garden (data from	3			

## Crop farming and Grasslands Maintenance

Questionnaire code: 13062024

Submitted in: 01.11.2024

Period:

Tables 6 and 7)

### 9.2. LIMING. Click on the table name to access additional information about the table.

If the same lime fertiliser has been used several times, the area is still indicated only once.

Record no	Fertilised area, ha	Total quantity of fertiliser, t	Name of lime fertiliser	Comment
1	2	3	4	
1			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
2			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
3			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
4			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
5			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
6			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
7			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
8			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
9			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	

### Crop farming and Grasslands Maintenance

Questionnaire code: 13062024

Submitted in: 01.11.2024

Period:

10			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
11			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
12			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
13			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
14			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	
15			11 - Limestone fines 12 - Ash 13 - Pulverised oil shale ash 14 - Dolostone fines 99 - Other soil amendment	

#### TIME SPENT ON FILLING OUT THE QUESTIONNAIRE (incl. preparing the data)

Please estimate how much time you spent on filling out the questionnaire (incl. time spent on reading the instructions, collecting and preparing data). Record the total time spent by all employees.

Time spent	Hours	Minutes
Please indicate the hours and minutes separately. For example, if it took 1.5 hours (i.e. 90 minutes) to complete the questionnaire, you should enter 1 in the hours field and 30 in the minutes field.		

#### Feedback to the questionnaire

Dear Respondent!	
This is where we ask for your direct feedback.	
Please assess the statements below on a scale of 1 to 5, with 1 being the lowest and 5 being the highest.	
NB! These questions apply to the current questionnaire.	
Providing feedback is voluntary. Thank you!	

#### Y1. Assessment on a scale of 1 to 5

	Assessment on a scale of 1 (strongly disagree) to 5
--	---

## Crop farming and Grasslands Maintenance

Questionnaire code: 13062024

Submitted in: 01.11.2024

Period:

page 12/12

	(strongly agree)
Wording of questions was comprehensible.	1 - 5 2 - 4 3 - 3 4 - 2 5 - 1 6 - Do not know
Wording of error messages or controls was comprehensible, and they were helpful for finding and fixing errors.	1 - 5 2 - 4 3 - 3 4 - 2 5 - 1 6 - Do not know
Explanatory texts (appearing when the mouse cursor hovers over them) of the questionnaire were comprehensible and helpful.	1 - 5 2 - 4 3 - 3 4 - 2 5 - 1 6 - Do not know
Prefilled fields (text boxes with preexisting data) simplified and sped up the completion of the questionnaire.	1 - 5 2 - 4 3 - 3 4 - 2 5 - 1 6 - Do not know
eSTAT environment was user-friendly for completing the questionnaire (e.g. all the tables properly fit on the screen).	1 - 5 2 - 4 3 - 3 4 - 2 5 - 1 6 - Do not know

### Y2. Overall assessment on the questionnaire

	Answer
Please give an overall assessment on completing the questionnaire.	10 - Very easy 20 - Easy 30 - Average (neither easy nor difficult) 40 - Difficult 50 - Very difficult

### Y3. Suggestions and comments (200 characters max)


COMMENT